

POLICE



DEPARTMENT

No. E1-41231/2019/ID

District Police Office,

Idukki

✉spidk.pol@kerala.gov.in

☎04862232354

Dated. 06-12-2019

Short Quotation Notice

(APPENDIX XI (STORE PURCHASE MANUAL))

Sealed Quotations are invited for the supply of following stores.

1.Inverter -2Nos ,2.5 KV

The envelope containing the quotations should bear the superscription" Quotation for the supply of 2.5 KV Inverter ".And addressed to the District Police Chief,Idukki.Intending tenderer may submit the quotations on their own papers.Last date for the receipt of quotation is 08/12/2019 Late quotations will not be accepted.The quotations will be opened at 11 Am on 09/12/2019 in the presence of such tenderer or their authorized representatives who may be present at that time.The maximum period required for the delivery of articles should be mentioned.Details of the requirement and the conditions governing their supply can be obtained free on request from District Police Office,Idukki till 08/12/2019.

Specification required for Inverter

- 2.5 KV. pure sine wave Inverter.
- 2 Nos 12V/150AH Battery.
- CPRI certified fully Tabular Battery.
- Certification- BIS,ISO9001-2015.

Narayanan T IPS
District Police Chief



E1-41231/2019/ID



bdc07e